SOUNDWARE LAGERRENSNING 2011

DECEMBER 2011

SOUNDWARE

Välkommen till årets utförsäljning av audioutrustning till kraftigt reducerade priser!

Nu säljer vi massor av produkter till fantastiska priser.
Hittar du inte det du söker? Kontakta oss för ett erbjudande!

Side 2 • Genelec, DiGiCo
Side 3 • Digidesign
Side 4 • Digidesign, M-Audio, Korg
Side 5 • AMS Neve
Side 6 • AMS Neve, Yellowtec, AKG
Side 7 • Clear-Com
Side 8 • DK-Technologies, Holophone, Groove Tubes
Side 9 • Zaxcom
Side 10 • Waves, MAYCOM, Grace Design
Side 11 • Sennheiser, Rostec
Side 12 • Ashly, Maxell
Side 13 • Yamaha, Hosa, Sonifex, JC Cooper, König & Meyer
Side 14 • MAYAH
Side 15 • Palmer, Syncheck, APB, Audac, SRS, STK, SMG
Side 16 • RTW, MAGMA, Turbosound
Side 17 • Cables, Colin Broad, WHD
Side 18 • WHD
Side 19 • Symetrix
Side 20 • Symetrix, Adam Hall







PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
GENELEC						
Aktiv monitor	GE6010APM	Genelec 6010APM, aktiv monitor, svart. Genelec 6010A is an extremely compact two-way active loudspeaker designed for computer sound systems and other close proximity listening applications. Its small size, amazing sound quality and rugged construction make the 6010A an ideal sound system for the traveling professional user and a constant source of listening enjoyment. Produktlink	DEMO	1	1.920	1.500
Väska	GE1029420	Genelec Väska för 1029.	DEMO	2		200
Omnimount	GE8050405B	Genelec Omnimount 60.0CA.	NY	2		100
DIGICO						
Mixerbord	DIGX-SD11WS	DiGiCo SD11 Digitalt Mixerbord. The SD11 is two consoles in one – a rackmountable mixer ready to fit into your installation or a touring rack, and a table top mixer with smart end cheeks and arm rest, an easy one-person lift from truck to table top, ready for action. 16 Microphone pre amps, eight line outputs and two mono AES I/O, and 32 input channels with full processing, 8 of which can be configured as full Flexi Channels. The SD11 features the same A/D and D/A converters as every member of the SD Series, along with identical Stealth Digital Processing, now in its third generation, with Super FPGA technology incorporating floating point processing, for superior headroom, dynamic range and overall audio quality. The result is true high end performance despite the SD11's small size: the same smooth, accurate and yet thoroughly musical sonic performance familiar to users of the SD7, SD8, SD9 and SD10. Produktlink	DEMO	1	110.000	75.000

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
DIGIDESIGN/ AVID						
DSP expansion	DIHDA2E	Digidesign HD2 Accel PCIE - HD Accel cards for PCI Express (PCIe) complement the Accel Core card foundation of the Pro Tools|HD Accel system for PCIe-based host computers. Offering enormous processing power, HD Accel cards for PCIe can supercharge your system and accelerate your workflow. With support for sample rates up to 192 kHz (with a 192 I/O-equipped system) plus increased track and voice counts, HD Accel cards deliver unprecedented mixing power. Produktlink	DEMO	1	88.000	49.500
Software	DIPT9	Pro Tools 9.0. Produktlink	NY	2		3.200
Plug-in	DISTDM	Smack! TDM. Produktlink	NY	1		2.200
Plug-in	DIMEDIAST27VSO	Media Station|PT 2.7 med VSO.	NY	1		2.000
Kort	DISCSI128	SCSI kort PCI Dual Channel.		4		200
Audio interface	DIMBOX2	Mbox 2 - The Mbox hardware interface features a premium analog signal path and high-performance converters for exceptional sound. The included Pro Tools LE software is the same platform used in commercial facilities around the world - ensuring pro studio compatibility and delivering everything you need to compose, record, edit, and mix music.	DEMO	1		2.500
Software	DISTRUCTURUG	Structure Upgrade from Soft SampleCell.	NY	2		100
Fader Control Surface	DIDC16FX	Digidesign D-Control 16 med Surround Panners, och benställning.	BEGAGNAD	1	500.000	225.000
Remote Control Software	DI745NT	MachineControl - allows you to remotely control Pro Tools from external controllers. Windows only. Produktlink	NY	3	5.300	2.000



Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
DIGIDESIGN/ AVID						
Kabel	DI16CBL	Y-kabel för ProTools. Mix.	NY	2		200
Audio interface	DIFACT13	Mbox 2 Factory - The Mbox hardware interface features a premium analog signal path and high-performance converters for exceptional sound. Included Pro Tools LE software.	DEMO			2.000
Master Synchronization Device for Pro Tools	DIHDSYNC	SYNC HD I/O. SYNC I/O serves as the master synchronization device for Pro ToolsIHD, supporting all major industry-standard clock sources and time code formats. Built to satisfy all of your synchronisation needs, SYNC I/O delivers the most consistent, dependable solution for Pro Tools systems as well as other digital devices in the studio.	DEMO	2	14.850	9.900
Software	DILE7PLUS	ProTools LE 7 Upgrade PLUS.	NY	1		200
Software	DILE8UG	Pro Tools LE 8 Upgrade.	NY	9		200
Computer Keyboard for Pro Tools Systems	DIKBM	Keyboard Custom Pro Tools Mac.	NY	1	950	700
	DIKBW	Keyboard Custom Pro Tools Win.	NY	1	950	600
USB Audio Interface	DIMBOX2MICRO	MBox 2 Micro - The Digidesign Mbox 2 Micro answers the demands of Pro Tools users worldwide by offering a way to edit and mix with Pro Tools LE anywhere you go! That's right, this USB device that's about the same size as a common jump drive allows you to take your Pro Tools Sessions on the road to mix on a laptop while riding in a plane, in the park... or anywhere you want!	DEMO	3		950
Audio interface	BEG1622	Digi 1622 Audio interface.	BEGAGNAD	1		200
Audio interface	BEG88220	Digi 882-20 Audio interface.	BEGAGNAD	2		500
M-AUDIO						
Subwoofer	BEGM-AUDIOBX10S	BX10S M-Audio BX10s Powered Subwoofer (240 Watts, 1x10 inch). Produktlink	BEGAGNAD	1		600
KORG						
Music Workstation and Sampler	BEGTRITON	Korg Triton Pro. The TRITON series comes power-packed with Korg's new HI Synthesis System for the ultimate in sonic creation. Plus, with a full-featured integrated sampler, enhanced performance features, a full-function sequencer, and many optional expansion boards, TRITON will be the most powerful tool ever in your keyboard arsenal. TRITON even comes with six outputs so that you can meet the needs of any situation you come across, from live concerts to the recording studio. TRITON is truly the next-generation music workstation that every musician has been waiting for.	BEGAGNAD	1		3.000

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
AMS NEVE						
Stereo Compressor	AM33609JD	Neve 33609/JD Dual Compressor/Limiter - Hand-built to its original 1970's specifications, the Neve 33609JD Stereo Compressor offers comprehensive limiting and compression facilities for music recording, mastering, post production and broadcast applications. Produktlink	NY	1	29.600	25.000
Mic Preamp & Equaliser	AM1073	Neve 1073 mic/line amp, with EQ - Handcrafted and completely hand-wired by Neve's dedicated professionals in England, the modern-day 1073 is produced to the exact specifications of the original modules. Produktlink	NY	2	23.000	19.000
Stereo Mic Preamp	AM1073DPD	Neve 1073 DPD mic/line preamp with AD converter - The 1073DPD combines two of our world-famous Class A Neve 1073 microphone preamplifiers with flexible 192kHz digital output capabilities. Produktlink	DEMO	1	18.200	15.000
Rack	AM10733U19	Neve 3U 19-tums rack for 2 stk 1073/1084.	NY	2	9.900	8.000
Mic Preamp & Equalizer	AM1081	Neve 1081 mic/line amp. with EQ - The 1081 provides remarkable sensitivity, fast and musical response to transients, plus inimitable Neve equalization featuring effective high- and low-pass filters designed to separate unwanted signal outside the passband. Produktlink	NY	2	24.600	20.900
Rack	AM10813U19	Neve 3U 19-tums rack for 2 stk 1081.	NY	1	14.300	12.000
Mono Limiter/Compressor	AM2254R	Neve 2254/R Mono Limiter/Compressor - It retains the original 2254's unique sonic characteristics – using the same architecture, matching components and original hand-wound transformers - ensuring a totally unique sound. Produktlink	NY	1	17.600	15.000
Rackmount kit	AM4081RK	Neve 19 Rackmount kit for 1stk eller 2 stk 4081.	DEMO	3	700	600
Mic Preamp	AM4081	Neve 4081 Quad Mic Preamp. Four Classic Mic Preamps, One Powerful Remote-Controlled Unit. Perfect for vocals, ADR and Foley Recording, the 4081's features make it the number one choice for any studio, OB truck or live stage environment. Every function of the 4081 can be controlled directly from the front panel or by remote control using a Mac or PC with Neve Remote Control software. Produktlink	DEMO	1	23.000	18.000
Digital Option Card for 4081 Quad Mic Preamp	AM4081DO	Neve 4081 Digital Option kort. An optional Digital card provides a FireWire/AES interface with four channels of A/D conversion to either AES or FireWire. Produktlink	DEMO	1	5.300	4.000
Fader Pack	AM8804	The Neve 8804 Fader Pack is the perfect companion to the Neve 8816 Summing Mixer. Produktlink	DEMO	1	10.100	7.000

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
AMS NEVE						
Mic Preamplifier and Equaliser	AM1084	Neve 1084 mic/line amp with EQ. The 1084 delivers an incredibly fat, smooth sound. Builds on the same basic design of the world-famous 1073, it offers a significantly different palette of frequency selections. The 1084 also features a “Q” switch, allowing the user to choose between two different Q types, either narrow or wide with respect to the parametric band. Produktlink	NY	2	24.100	20.000
Mono Mic Preamp module for Lunchbox	AM1073LB	Neve 1073LB, mono mic/line amp for LunchBox. The 1073 is the first choice of leading producers and artists, delivering the unique Neve sound on some of the most famous recordings of the past 40 years. The big, punchy sound of the 1073 complements any musical genre. New features like a fine TRIM control, switchable micro-phone input impedance, signal presence LED, intelligent protected switching of front combi-XLR input connector and Neve’s Audio Processing Input design, the 1073LB takes your Lunchbox to the next level. Produktlink	NY	7	8.300	7.000
Mono EQ module for Lunchbox	AM1073LBEQ	1073LBEQ, mono EQ for LunchBox. The 1073LBEQ mono EQ module retains the unique sonic characteristics of the original 1073 classic EQ by using the same EQ circuit architecture and matching components. Produktlink	NY	4	10.700	8.000
Channel Strip	AM8801	Neve 8801 Channel Strip. The 8801 Channel Strip is like having a complete channel from the legendary Neve 88R console – widely considered among the best-sounding analogue music consoles ever developed. Contained in a single rackmount unit, the 8801 combines a classic Neve mic preamplifier and equalization circuitry with an incredible 88R-style dynamics processor. Quite simply, the 8801 is the most convenient way to give any serious studio the ultimate Neve analogue sound. Produktlink	NY	2	18.700	15.000
YELLOWTEC						
Keypad	THBLKEY	Yellowtec B-Line Keypad for b-line - Digital ISDN / POTS Hybrid and Phone System. Produktlink	NY	1	6.500	500
DTMF Generator/Analyser	THBLDTMF	Yellowtec B-Line DTMF Generator/Analyser.	NY	1	2.200	500
AKG						
Headphones	BEGAKGK66	AKG K66. Produktlink	BEGAGNAD	1		100
Headphones	BEGAKGK77	AKG K77. Produktlink	BEGAGNAD	1		100

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på “DEMO”, medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING		SKICK	ANTAL	ORD. PRIS	REAPRIS
CLEAR-COM							
		För Clear-Com Tempest 4 channel Intercom.					
Headset	CLECC-26K-X4	Clear-Com CC-26K-X4 is a single open ear, lightweight headset with an over-the-head design. The flexible neck boom and dynamic noise cancelling microphone help improve voice clarity. X4 = 4 pin female XLR. Produktlink		NY	7	2.100	1.000
Remote transciever	CLECCT-RT	CCT-RT Tempest 2.4GHz Remote Antenna Transceiver. Power provided by Tempest2400 base station via CAT-5 cable up to 1500 feet (300 meters). Comes with 4.5 meter CAT-5 cable and two whip antennas. Produktlink		DEMO	1	18.400	10.000
Master stationer	CLECM-244	CM-244 Tempest 2.4 GHz 4 channel Base Station. In Normal Mode, the Tempest2400 wireless system can have up to 5 wireless BeltStations per BaseStation in full duplex, simultaneous operation. A total of 10 Tempest BaseStations and 50 Tempest full duplex wireless BeltStations can operate in close proximity while maintaining excellent system performance. Produktlink		DEMO	2	54.800	35.000
Beltpack	CLECP-242	The Tempest2400 BeltStations CP-242 provide users with full-duplex communications. They are designed to be both comfortable and rugged in order to withstand the most challenging production environments. CP-242 BeltStation (4-channel audio) is capable of true dual talk/listen functionality, allowing each user to simultaneously monitor and/or talk on two of the four channels (A or B and C or D). Produktlink		DEMO	4	18.400	10.000
Beltpack	CLERS-602	RS-602 - a 2-channel, dual listen monaural beltpack with a 4-pin male headset connector. Produktlink		DEMO	1	4.300	1.900

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
DK - TECHNOLOGIES						
Cable	DK5014	DK MSD600M-I-CABLE/O. Kabel till MSD600M.	NY	4	1.300	250
Cable	DK5017	DK MSD600M-O-CABLE/O. Kabel till MSD600M.	NY	2	1.300	250
Cable	DK5018	DK MSD600M-U-CABLE/O. Kabel till MSD600M.	NY	3	1.300	250
Master Stereo Display	DK0100	DK MSD100T/SA 2-kanaler med XLR ingång - Master Stereo Display with high quality 320x240 monochrome display. Includes all basic metering and monitoring functions in addition to preset selectable reference levels. Features stereo Peak Programme Meter for audio level measurements, up to 7 scales selectable to conform with standard used, and PPM peak-hold function shows maximum level in a recording. Produktlink	NY	1	15.000	9.950
Cable	DK5020	DK MSD100C-Cable.	NY	2	1.300	250
Cable	DK5021	DK MSD200C-Cable.	NY	1	2.200	250
Plate	DK5030	DK MSD-BASE/O. Basplatta i aluminium till MSD.	NY	2	800	400
HOLOPHONE						
Surround Microphone	HOH3D	Holophone H3-D Surround Microphone - 5.1 surround sound capture for pro audio, project studios, live music production, educational applications, as well as professional broadcast and recording studios. World's most inexpensive Professional Surround Sound Microphone. Holophone H3-D offers a dedicated 5.1 design that brings the unit within the reach of the growing market segment in need of surround capture capability. The H3-D is easy to use, making it the ideal choice for situations that have budget, engineering or space restrictions. The H3-D features five multi-directional, full bandwidth microphone elements and a discrete LFE microphone in one integrated capsule. Produktlink	DEMO	1	20.400	9.500
Windscreen	HOH3WS	Holophone H3-D Windscreen.	DEMO	1	3.600	1.900
GROOVE TUBES						
Shock Mount	GRO9004	SM-4 Shock Mount. Shockmount for Groove Tubes Large-diaphragm Condenser and Ribbon Microphones.	NY	1	500	100



Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING		SKICK	ANTAL	ORD. PRIS	REAPRIS
ZAXCOM							
Plug-on Recording Wireless Transmitter	ZATRX700	Zaxcom TRX700 Plug-on Recording Transmitter - The new TRX700 is designed for quick and easy integration with the shotgun-type microphones typically used in boom-pole applications. With the IFB option (below) the TRX700 records up to 12 hours of timecode-referenced audio on a removable miniSD card, that provides an automatic back-up of the system's RF transmission. Produktlink		DEMO	1	16.600	8.500
	ZATRX10	Zaxcom Internal IFB option for TRX900 and TRX900AA.		DEMO	1	2.300	1.500
	ZATRX901	Zaxcom Internal recording option.		DEMO	3	2.900	1.500
Digital Handheld Microphone Transmitter	ZATRX800	Zaxcom TRX800 Digital Handheld Microphone Transmitter - The TRX800's 96 hour, 24 bit internal loop-recording option is perfect for those times when there's a lack of available frequencies or when drop-outs cannot be tolerated. Makes use of a removable MiniSD memory card. Produktlink		DEMO	1	18.500	9.000
Mic-capsule for TRX800	ZARPW118	Zaxcom SHURE Beta 58 Capsule for TRX800.		DEMO	1	1.600	8000
Remote Control Transmitter	ZAIFB100	Zaxcom IFB100 Remote control transmitter - The IFB100 transmits IFB audio, timecode and remote control signals to the TRX900 series digital wireless transceivers on a single RF carrier using a 2.4 GHz signal. It can be used license-free in almost every country. The IFB100 can be used in an array of applications - on your sound cart, in a studio or on the side of your video camera. The left side has dedicated connectors for: two audio inputs, timecode in/out and power in. The front has a graphic LCD screen indicating the transmitter status and timecode display. Produktlink		DEMO	1	13.600	7.000
Antenna	ZAIFBOMNANT	Zaxcom 2.4GB Omni 6dB gain antenna IFB100.		DEMO	1	850	600
Cable	ZAIFB10CBL	Zaxcom 10' Cable from IFB100 to 2.4GB antenna.		DEMO	1	1.000	600
Adaptor	ZAEA100	Zaxcom Playback earpiece adaptor.		DEMO	1	1.000	600

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
WAVES						
Sound Maximizer	WAMBCL	MaxxBCL - Any audio engineer trying to extract bass from real-world components must eventually face the laws of physics: All things being equal, small boxes and speaker cones can't move enough air to produce a room-shaking low end. When working with systems tiny enough to toss in a shoulder bag, the challenge is even more formidable. Interestingly enough, Waves MaxxBCL has a new solution to this problem using a very old concept. Produktlink	DEMO	1	23.850	15.000
MAYCOM						
Docking Station	MAYDS	Maycom Docking Station for HandHeld Recorder acts as the re-charger for the smart battery pack, and offers connections for 2 microphones, a headset and PC (through USB). Produktlink	DEMO	1	3.050	500
Cable for N>trans	MAYNTPC5SC	N>trans Kabel, lemo > 5 pin XLR.	NY	1	575	200
Cable for N>trans	MAYNTPCMC	N>trans Kabel, lemo > XLR.	NY	2	490	200
Cablefor N>trans	MAYNTPCSC	N>trans Kabel, lemo > 2 x XLR.	NY	1	750	200
Professional CF Audio Card	MAYNTPROL	N>trans PRO+LUCI, CF Audio Card for PDA. N>Trans is Maycom's new platform for computerized audio recording. A Compact Flash sized audiocard for use in a PDA or laptop computer. Produktlink	NY	2	4.900	1.000
GRACE DESIGN						
Channel Strip	GRM103	m103 single channel mic preamp/ 3 band EQ / optical compressor - Single-Channel Transformerless Channel Strip with 3-Band Equalizer, Optical Compressor, and Flexible I/O. With the m103, Grace Designs has combined some of their finest transformerless circuitry to release a channel strip that meets their extreme criteria of high-headroom, intricate detail, and immaculate clarity. Produktlink	DEMO	2	13.600	6.900
Module Microphone Preamp for Lunchbox	GRM501	The m501 Preamp is a module version of the venerable m101 mic preamplifier. Now the signature transparency and detail of Grace Design's circuit designs is available for your 500 series frame. Produktlink	DEMO	2	4.900	2.500
Remote controlled Micro-phone Preamp	GRM802	The core of the m802 is a high fidelity 8 channel micro-phone preamplifier designed to be extremely transparent and musical. The m802 is fully remote controllable. All preamplifier functions, including gain, phase, 48V phantom are instantly accessible and adjustable. These settings can then all be stored into preset locations and instantly recalled. The m802 can also be controlled directly from Digidesign ProTools|HD systems. Remote not included. Produktlink	DEMO	1	35.500	24.500

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
SENNHEISER						
Miniature Condencer Cardioid Microphone	SENMKE40EW	Sennheiser MKE 40 EW Cardioid condenser miniature. Clip-on microphone with cardioid pattern. Can be used together with evolution wireless body pack transmitters or with MZA 900P phantom power adaptor for wired applications. High gain before feedback, very good speech intelligibility, and outstanding bass reproduction. Comes with clip, black windscreen, grey windscreen, and magnet holder set MZM 2 / MZM 10. Produktlink	NY	6	3.060	2.000
Headphones	SENHD25-1IIBE	Sennheiser HD 25-1 II Basic Edition. The closed-back HD 25-1 IIs are purpose-designed, professional monitoring headphones offering high attenuation of background noise. Capable of handling very high sound pressure levels and of extremely robust construction, these headphones perform exceptionally well in high-noise environments, e.g. ENG, sound reinforcement, studio monitoring and audio equipment testing. The capsule is rotatable for one-ear listening. Very lightweight and comfortable, even if used for long periods. Ideal monitoring headphones for cameramen and DJs. Produktlink	NY	1	1.644	1.200
Vindskydd	SENNDRY-033032	Rycote Softie 12cm Standard Hole. Suitable for shotgun microphones, with slots no further than 12 cm from the front of the mic. Produktlink	NY	1	860	750
Phantom Power Adaptor	SHMZA900P	Sennheiser MZA 900 P Adapater - phantom power adaptor is used to connect pre-polarized condenser microphones with a 3.5mm jack plug to microphone inputs with 10 – 52 V phantom powering (P12 – P48). The connected microphone is supplied via the adaptor. Produktlink	NY	1	1.628	1.000
Wireless monitoring	SHS510610	Sennheiser SR 300 Wireless Monitoring Receiver. Produktlink	DEMO	1	7.500	2.500
ROSTEC						
Referensgenerator	ROSASD16HD	The Rostec ASD16HD is a high performance, high precision Digital Reference Generator designed to operate as master or as slave in a broadcast, video or audio studio environment. Produktlink	NY	1	16.500	12.000

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
ASHLY						
Power Amplifier	ASH2010	Ashly NE8250pe, 8x250W med DSP - Network Enabled (NE) amplifier offer ease of use, setup and control using standard 10/100 Ethernet protocol and Protea NE Software. No outboard control units are needed. Produktlink	NY	1		5.000
Parametric Equalizer 4x4	ASH1090	Ashly 4.24PS - allows for the installation of multiple channel parametric equalizers where tamperproof, precise audio equalization is required. Produktlink	DEMO	1		2.000
Security Cover	ASH1690	Ashly SEC-2 - a rack-mounted panel that prevents access to the controls of any two-space rack-mountable gear.	DEMO	4	400	20
DSP Input Option Modules	ASH2160	Ashly DSP 1 Retrofit - a Protea DSP Option Card to your PE-Series amplifier, and you have a simplified system implementation for many applications in live sound, commercial sound reinforcement and installations. Produktlink	DEMO	3	5.000	900
Crossover	ASH1190	The XR-1001 is a stereo two-way or mono three-way crossover. Produktlink	DEFEKT	1		300
Remote Level Controller	ASH1295	RW-8C Wall-Mount 8-Channel + Master. A remote level controller which can be used with the VCM-88C and Protea 24.24M. The RW-8C mounts as a wall plate using a standard 4-gang electrical box. There are eight channels and a master, each with a level control and an on/off button. RW-8C offers a direct correlation of remote faders to VCM-88C channels, as well as its master fader. Produktlink	DEMO	1	2600	1000
Wall Mount Remote Control	ASH1500	WR-2E 4-position preset recall wallplate. Remote control your system from any location. These devices fit in standard wall boxes and accept low gauge wire for hook-up, such as Cat5 type wire. Produktlink	NY	1		400
Wall Mount Remote Control	ASH1510	WR-3E. Remote control your system from any location. These devices fit in standard wall boxes and accept low gauge wire for hook-up, such as Cat5 type wire. Produktlink	DEMO	1		400
Wall Mount Programmable Ethernet based Remote Control	ASH1515	neWR-5 is a programmable Ethernet based remote control unit for Ashly NE Series and Pêma products. Connecting and powering the neWR-5 is done using standard Cat-5 Ethernet cable and an IEEE 802.3af Power over Ethernet (PoE) switch or inline injector, or a 15-48VDC power supply can be hardwired directly to each unit. Produktlink	DEMO	1	1900	600
MAXELL						
Kassettband	MAX1037	Kassettband 90 min.	NY	2	5	1
Kassettband	MAX1039	Kassettband 120 min.	NY	30	9	1
DVD	MAX1841	DVD-R 4,7GB 16x , 5-pack i jewelboxar.	NY	3	25	20
DVD	MAX1850	DVD-RW 4,7GB 2x, i 5-pack i jewelboxar.	NY	2	42	20
DVD	MAX1862	DVD+R 8,5GB Double Layer 1-2, 4x.	NY	7	63	30
DVD	MAX1866	DVD+R 50-bulk, 16x.	NY	9	145	100
DVD	MAX1874	DVD-R 4,7GB 16x 5mm slimcase.	NY	3	44	30
DVD	MAX1878	DVD-R 4,7GB, 16x, i 50-bulk.	NY	1	145	100
Cleaning Tape	MAX8805	DDS 4 mm Cleaning Tape.	NY	4	39	10

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
YAMAHA						
Analog Input Card	YAMY8AD96	Yamaha MY8-AD96 - 24-bit, 96 kHz eight-channel line-level analog input card. Produktlink	DEMO	1	5.500	2.500
AES Digital I/O Card w/ SRC	YAMY8AE96S	Yamaha MY8-AE96S - Eight-channel AES/EBU digital format I/O with sample rate conversion. MY (Mini-YGDAI) series expansion cards for use in the option I/O slots of digital mixers and mixing engines. Supports sample rates of up to 96 kHz. 25-pin D-sub connector Produktlink	DEMO	1	7.000	2.500
Expansion Card	BEGMYAVIOM	Aviom kort till Yamaha - Allows you to add Aviom's A-Net protocol to your Yamaha digital mixer, so you can distribute audio via inexpensive Cat-5 cable to the new A-16II Personal Mixer. The AVIOM expansion card fits Yamaha digital mixers supporting the mini-YGDAI format, including the 01V96, DM1000, DM2000, and PM1D. Produktlink	BEGAGNAD	1		3.000
HOSA						
Balanced Snake	FIDBD303	DBD303 DB25 till DB25 kabel 90 cm. This snake is designed to interconnect gear with DB25 sockets. Produktlink	NY	7	250	100
Multikabel	FIDTF803	Multikabel 3 m.	NY	1	656	250
Multikabel	FIDTM803	Multikabel 3 m.	NY	3	604	250
Multikabel	FIDTM805	Multikabel 5 m.	NY	1	736	250
Multikabel	FIDTM807	Multikabel 7 m.	NY	1	876	250
SONIFEX						
Dual Stereo Headphone Amplifier	VIS715-1142	Sonifex RB-HD2 - The RB-HD2 is a high performance 2-way stereo headphone distribution amplifier for driving up to 2 pairs of professional stereo headphones from a single stereo or mono input. A switch on the rear panel enables the distribution of a mono signal to all four outputs via the left channel input. Produktlink	DEMO	1	3.200	2.000
JC COOPER						
Motorized Fader Controller	JLES4/100	JL COOPER ES 4/100 MIDI Controller - is an Edit Suite Series compact automation controller. Audio mixing has never been this fast and easy. The ES-4/100 features four 100mm touch-sensitive, motorized faders, 16 channel switches, 4 function keys and bank shift buttons for control of Select, Solo, Mute and other functions. Produktlink	DEMO	1	7.700	3.500
KÖNIG & MEYER						
Rackpanel	KM49411	König & Meyer 49411 1 HE - Rackpanel. Produktlink	NY	6	56	30
Högtalarstativ	XL26740	K&M 26740 Högtalarstativ. Produktlink	BEGAGNAD	4	1.200	300

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
MAYAH						
		MAYAH Flashman II Portable Recorder (incl. below items).	DEMO		29.800	17.000
Portable Recorder Codec	MAHFMII	Whereas the original Flashman was a pure, high quality digital recorder, Flashman II adds the ability to simultaneously record and transmit the audio back to the studio. Flashman II records to SD Cards and USB sticks, supports most modern networks and interfaces – WLAN, UMTS/3G and Ethernet are all catered for – and provides a wide range of the most modern coding algorithms, including two new, state-of-theart audio formats, MPEG 4 HEv2 and MPEG 4 AAC ELD, for “High Quality” and “Low Latency”. With Flashman II, MAYAH has built a portable studio for the palm of your hand! Produktlink		1		
3G Card	MAHFUMTS	UMTS/3.G Card for Flashmann II.		1		
Audio IP Decoder/ Converter	MAYGAN1002PRO	Mayah Ganymed 1002PRO - The Ganymed 1002 is the receiving end member for stereo audio via IP networks. It receives an RTP stream with MPEG 1 or 2 Layer 2, Layer 3, AAC encoded audio signals or even linear audio and converts it to analog and digital audio in professional level and format. Produktlink	DEMO	2		1.000
Audio IP Encoder/ Decoder	MAYGAN1102	MAYAH Ganymed 1102 - In combination with GANYMED 1002, the Ganymed 1102 is an IP Audio Codec encoding and decoding high quality audio signals into various coding formats and streaming towards other MAYAH Ganymed, CENTAURI or audio player tools, such as Windows Media, Real Player, Winamp and others. Produktlink	DEMO	1		1.000
Audio Video Encoder/ Decoder	MAYIO80000AD	Mayah IO8000AD. When running as an encoder the IO 8000 offers SP/ASP and AVC/H.264 encoding, automatic scene change detection, horizontal subsampling and many other options. The IO 8000 has extremely low latency – in the range of ≥ 500 ms for „end to end“ IP based connections – making it the ideal for „live“ situations. Produktlink	DEMO	1		5.000
	MAYIO8000ADPRO	Mayah IO8000AD PRO. Produktlink	DEMO	1		5.000

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
PALMER						
48 V Power Supply	PAL0050	Palmer PAN48 - external power supply for phantom powered appliances. Produktlink	NY	1	776	500
Cable Tester	PAL0420	AHMCT8 Cable Tester. Test results are shown visually by LED and audibly by buzzer.	NY	1	440	250
Line Splitter	PAL0220	Palmer PRM-LS - Designed to split line level signals. Female XLR input, 1 parallel male XLR output and 2 transformer isolated male XLR outputs in 1RU chassis. Produktlink	NY	1	3.650	1.500
Power Amp	PALP6150LX	Palmer Power amp 6 x 150W.	NY	1	10.800	2.500
SYNCHECK						
Audio/video Synchronization Tool	PHASC	SyncheckII - audio/video synchronization, shows you with absolute certainty that your audio and video are rendered IN sync, or OUT. Works at ANY frame rate. C-weighted SPL readings with ½ db resolution. Produktlink	NY	2	3.250	1.900
APB DYNASONICS						
Multi-channel Audio Switching	APBMSM444	MixSwitch Console switching device. A versatile, multi-channel audio switching and combining system that takes up only 1U of rack space. Typical applications include selecting between the Primary console and Backup console, or between Headline and Opening Act consoles in concert/presentation situations. Produktlink	DEMO	1	15.500	8.500
FOH Mixer	APB1U8M	ProSpec-1U8M 1U Rack FOH Mixer. Produktlink	DEMO	1	7.600	4.500
FOH Mixer	APB1U4M4S	ProSpec-1U4M4S 1U Rack FOH Mixer. Produktlink	DEMO	1	7.500	4.500
AUDAC						
Aktiv subwoofer	STAAUDACSW150	Audac SW-150, 8” aktiv sub, inbyggt slutsteg samt steglös delningsfrekvens för att optimera ljudbilden.	BEGAGNAD	1		500
SRS						
Software	SRSTDM02	Circle Surround TDM Pro + XTRACT. With 6.1-channel capacity, 96kHz Sampling Rate and Pro Tools TDM Support.	NY	1	5.600	500
STK						
Power Amplifier	STK0705	VS-40 Power Plus. 2-kanals forsterker med digital spenningsforsyning som yter 2x1700 Watt i 4 ohm. Produktlink	DEFEKT	1		500
Power Amplifier	STK0805	VS-2003 (BI-AMP). 550W+550W for satellites and 1200W for subwoofer, 0.05% THD 20Hz~40kHz. Produktlink	DEFEKT	1		500
Power Amplifier	STK0905	VS-2004 (QUARD). 4-kanals high power amplifier offers the quad or two channel independent outputs. Produktlink	DEFEKT	1		500
SMG						
Receiver	SMGDE100IRSWB	Receiver F&W	NY	5		100

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
RTW						
Audio mätare	POLRTW1206N	RTW PPM Mätare stereo Nordisk/DIN. The analog 1206 table-top peak meter are ideal for applications using professional and semi-professional equipment. Scale length 127 mm. Both electronically balanced XLR connectors with fixed input sensitivity and unbalanced RCA connectors. Sliding scale for multi-standard operation or for horizontal/vertical installation. Produktlink	BEGAGNAD	1		5.000
MAGMA						
Cable	MAGCBL1.5HF	MAGMA HI-FI, 68 pin 1.5 meter PCI expansion.	NY	1	1.500	800
PCI expansion unit	MAGCB264	Magma CB264 - 2 Slot PCI expansion unit with CardBus (PCMCIA) card (universal slots). Produktlink	NY	1	11.900	8.000
PCI external expansion device	MAGEB1H	Magma ExpressBox1 - 1 Slot PCI Express Device. Magma ExpressBox1 is an easy-to-use external expansion device for attaching a PCI Express card to a laptop or desktop computer. You can turn a typical, middle-of-the-road laptop into an powerful audio/video editing workstation simply by adding the right PCI Express card to ExpressBox1 and then connecting it to a laptop through an ExpressCard/34 module and cable. By using a HD Native card from Avid installed in a Magma ExpressBox1 on a MacBook Pro, you will be able to achieve a 70 track mix session looping with 32 sample buffers and a lot of plug-ins without errors. Produktlink	NY	1	7.600	5.000
PCI Card	MAGPCIHIF68	MAGMA Host Card 32-bit/33 MHz PCI. Produktlink	NY	1	2.500	2.000
TURBOSOUND						
	TUR1860	FY-PH.	DEMO	4		100
Flygfäste	TUR1870	SCLAMP Flygfäste. Scaffold clamp adapter for flying yokes or swivel brackets.	DEMO	2		100
Loudspeaker	TUR2410	Impact 55T svart. A compact passive 2-way speaker with a 5” LF driver and a 1” HF tweeter. Produktlink	NY	2	1400	750
HF Horn element	TUR3045	CD-111. HF horn driver assembly for Turbosound speaker models.	DEMO	1		100
Loudspeaker element	TUR3460	LS-1019. 10” Driver Professional Loudspeaker.	DEMO	2		100
Crossover network	TUR4785	PX-121X. Passive crossover network for TXD-121/TXD-12M.	DEMO	1		100
	TUR4800	PX-101C for TCS-101C.	DEMO	1		100

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
CABLES						
Cable bulk	MOO0010	2x0.75mm2 vit (9977). 100 meter.	NY	4	1.500	750
COLIN BROAD						
RS422-Midi Machine Control Interface	COLP2MMC	Colin Broad P2MMC, RS-422 Midi Machine Control - designed to be used with existing consoles and DAW's and synchronisers the interface will connect any Sony P2 Protocol serial port to the MX2424 Midi Port. Produktlink	DEMO	1	8.000	2.500
WHD						
Sound Column	WHDAL10/1-T12	WHD AL 10/1-T12 - Compact, highly-efficient and weather-proof sound column. Produktlink	NY	1	1.960	500
Power Amplifier	WHDAMP10CD	WHD AMP 10 CD 500 UP.	NY	1	1.400	500
Ceiling Speaker	WHDUP26-T25	WHD UP 26-T25 Large 2-way Hi-Fi ceiling. Produktlink	NY	1	1.720	500
Ceiling Speaker	WHDUP26-T6	WHD UP 26-T6 Large 2-way Hi-Fi ceiling. Produktlink	NY	1	1.560	500
Ceiling Subwoofer	WHDUP26SUB-8	WHD UP 26 SUB-8 - Big and powerful subwoofer with plastic frame for recessed ceiling installation, ideal for supplementing small ceiling speakers, e.g. in the home, in restaurants, boutiques. The UP 26 SUB comes with a 205 mm woofer and a high-quality crossover for low-impedance satellite output. Produktlink	NY	2	1.200	800
Ceiling Speaker	WHDUP40-8	WHD UP 40-8 - Powerful 2-way Hi-Fi ceiling speaker, ideal where sound quality demands are higher. Produktlink	NY	3	1.600	600
Ceiling Speaker	WHDUP12F-T6	WHD UP 12F-T6 - Compact ceiling speaker with fire-retardant steel dome for heightened safety level.	NY	2	500	300
Ceiling Speaker	WHDUP14/2-4	WHD UP 14/2-4 MARINE - High-performance 2-way ceiling speaker for demanding conditions. Produktlink	NY	1	1.200	300
Ceiling Speaker	WHDUP6-4	WHD UP 6-4 White - tiny recessed speaker for ceiling installation with outstanding sound quality. Produktlink	NY	4	360	150
Ceiling Speaker	WHDUPM100-T6	WHD UPM 100-T6 - ceiling speaker. Produktlink	NY	4	500	100
Ceiling Speaker	WHDUPM140-T6	WHD UPM 140-T6 - ceiling speaker.	NY	1	540	200
Ceiling Speaker	WHDUPM200-T6	WHD UPM 200-T6 - ceiling speaker in an extra-shallow design (5 mm), ideal for the reproduction of speech and background music in high-ceilinged rooms (3...5 m), e.g. department stores ... The UPM 200 impresses with its powerful 135 mm full-range chassis with additional subcone. Produktlink	NY	2	600	200
Bi-directional Speaker	WHDDLS12-T12	WHD DLS 12-T12 - Bi-directional speaker for the radiation of long, narrow room. Produktlink	NY	1	1.200	300
Sound Projector	WHDSP12-T12	WHD SP 12-T12 - highly-effective sound projector, ideal for speech and background music. Produktlink	NY	1	1.600	500
Loudspeaker	WHDST140	WHD ST 140 Fire-retardent steel dome.	NY	1	640	250
Mounting unit	WHDST260WB	WHD ST 260 WB. Fire-retardant steel dome with screw fastening for ceiling speaker UPM 260 S. Produktlink	NY	3	750	500
Loudspeaker	WHDSL25-2	WHD SL 25-2 - 2-way Hi-Fi speakers in a stone look for uncompromising applications. Produktlink	NY	2	2.900	500
	WHD0065		NY	2	160	50
	WHD0315		NY	2	160	100

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
WHD						
Wall Loudspeaker	WHDWL6-4	WHD WL 6-4 Wall Design Speaker white. Produktlink	NY	8	360	250
Wall Loudspeaker	WHDWL6-T6	WHD WL 6-T6 Design wall speaker. Produktlink	NY	1	700	300
Wall Loudspeaker	WHDWL8/2-T6	WHD WL 8/2-T6 2-way Hi-Fi design speaker. Produktlink	NY	1	1.440	500
Wall Loudspeaker	WHDWL6/2-T10	WHD WL 6/2-T10 - 2-way Hi-Fi design speakers for wall-assembly, suited to background music reproduction and with subwoofer SUB 200 for high-quality music reproduction, e.g. in the home, restaurants, cafes, massage parlours, etc.... This speaker's appealing, asymmetric design is a real trendsetter. The WL 6/2 comes with a 135 mm woofer and coaxial tweeter arrangement. Produktlink	NY	2	800	500
Wall Loudspeaker	WHDZL135G-4	WHD ZL 135G-4 - wall-mounted speaker, suitable for reproduction of speech and background music. Produktlink	NY	2	300	300
Wall Loudspeaker	WHDZL135G-T6	WHD ZL 135G-T6 - wall-mounted speaker, suitable for reproduction of speech and background music. Produktlink	NY	1	500	300
Wall Loudspeaker	WHDWL10-T6	WHD WL 10-T6. Produktlink	NY	2	1.000	350
Wall Loudspeaker	WHDWL10/2LED-T12	WHD WL 10/2 LED-T12. Produktlink	NY	1	6.000	1.500
Wall Loudspeaker	WHDWL10LED-8	WHD WL 10-LED-8 - 2-way Hi-Fi-designer speaker with LED light for wall-assembly, suitable for the reproduction of background music and with subwoofer SUB 200 for high-quality music reproduction e.g. in the home, restaurants/cafes, in wellness resorts or doctor's practices. Features a 135 mm woofer and coaxial tweeter arrangement. Produktlink	NY	1	2.500	800
Horn Speaker	WHDTL115-2-T15	WHD TL 115-2-T15 - high-end extremely effective horn speaker, made of plastic. Produktlink	NY	1	1.000	500
Horn Speaker	WHDTL130-2-T30	WHD TL 130-2-T30 - high-end extremely effective horn speaker, made of plastic. Produktlink	NY	1	1.980	500
Hi-Fi design Loudspeaker	WHDM240DEMO	WHD Demo väska M240 komplett - 2-way Hi-Fi design speaker, ideal for music reproduction.	NY	1		500
Loudspeaker/control unit	WHDHL1-T1	WHD HL 1-T1 - Compact speaker/control.	NY	4	1.400	500
Spherical Speaker	WHDKL1400D-4	WHD KL 1400 D-4 - compact spherical speaker, ideal for speech and background music reproduction. Produktlink	NY	2	840	250
Spherical Speaker	WHDKL1603-4	WHD KL 1603-4 - powerful spherical speaker, for the reproduction of speech and background music. Produktlink	NY	1	1.080	250
Volume Control	WHDLR20MONOAP	WHD LR 20 MONO AP - features a rotary dial without limit stop and a resistor network. Produktlink	NY	6	520	250
Loudspeaker	WHDMX50-8	WHD MX 50-8 - 2-way Hi-Fi box with bass reflex channel, suitable for music reproduction. Produktlink	NY	2	1.800	500
Transformer	WHDT100G	WHD T100G - is a 100 V transformer, fitted in a plastic cabinet. Produktlink	NY	3	1.000	500
Sound Column	WHDTS20WP-T20	WHD TS 20WP-T20 - sound column with strong focussing characteristics, can be installed outside.	NY	1	1.300	800
Subwoofer	WHDSUB200	WHD SUB 200 - Band pass subwoofer perfect for supporting WHD satellites. Produktlink	NY	1	1.650	500
Loudspeaker	WHDUP6-4	WHD UP 6-4 White. 6W, 4 ohms.	NY	4	360	100

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING		SKICK	ANTAL	ORD. PRIS	REAPRIS
SYMETRIX							
Digital Audio Network Interface	SYM1010	Symetrix CobraLink - It allows the sharing of digital audio between SymLink rings, Express units, and third-party CobraNet-compatible hardware including amplifiers and powered speaker systems. Produktlink		NY	1	22.560	5.000
Control Input and Output Expansion Interface	SYM1050	Symetrix Control I/O - Functions as a hardware interface for analog controls, extending the capabilities and connectivity supported by Symetrix DSP models. Produktlink		NY	1	6.480	1.500
Installation Zone Mixer	SYM1500	Symetrix Zone Mix 760. Featuring twelve inputs (four microphone, eight line level) and six outputs, the 760 hosts microphone pre-amplification, compression, AGC, matrix mixing, paging, feedback elimination, filters and equalization. Set-up is painless using a straight-forward Windows interface connected via Ethernet. The 760 also supports the full range of Symetrix Adaptive Remote Control (ARC) user wall panels. Produktlink		NY	1	13.950	5.900
DSP	SYMJUPITER4	Symetrix Jupiter 4. A turn-key audio processing solution utilizing downloadable 'apps' optimized for specific venues and systems. App categories include mixing and routing, public address and distribution, sound reinforcement, and special purpose signal processing. Produktlink		NY	1	10.880	4.500
Multiband Processor	AIR2M	Multiband Processor 2m. The AirTools Multiband Processor 2m implement a feature-rich DSP set that optimizes the sound of on-air voice talent. Latest in the long list of features that makes the Multiband Processor 2m easy to incorporate in any studio situation is users can now import or export specific presets without disturbing any other existing settings. Produktlink		NY	1	15.500	7.900
Cable	SYM1520	11-0417 XLR-Male to Euroblock cable. Six inch XLR-Male to Euroblock Cable features a male XLR on one end and a 5mm Euroblock on the other. Produktlink		NY	4	160	50
Cable	SYM1530	11-0418 XLR-Female to Euroblock cable. Six inch XLR-Female to Euroblock Cable features a female XLR on one end and a 5mm Euroblock on the other. Produktlink		NY	4	160	50
Headphone Remote	SYM1405	Symetrix HR1. Makes headphone amp outputs available at a remote location.		NY	1		100
Remote Control	SYM1440	Symetrix RC-3. Single remote volume control mounted in a Decora® wall plate. Produktlink		NY	1	880	300
Cover	SYM1550	10-0907 Single gang cover.		NY	2	100	50

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.

PRODUKT	ARTIKELNUMMER	BESKRIVNING	SKICK	ANTAL	ORD. PRIS	REAPRIS
SYMETRIX						
Power Supply	SYM1180	Symetrix ARC Power Supply. Produktlink	NY	1	4.160	500
Adaptive Remote Control	SYM1195	Symetrix ARC-2i Integrator Series Adaptive Remote. Produktlink	NY	1	2.340	500
Adaptive Remote Control	SYM1200	Symetrix ARC-2. Produktlink	NY	1	2.340	500
Adaptive Remote Control	SYM1210	Symetrix ARC-K1 - a modular remote control for Symetrix DSPs featuring a push-button rotary encoder that provides the client with simple control of two (2) parameters in the system. Produktlink	NY	2	3.530	1.000
Adaptive Remote Control	SYM1230	Symetrix ARC-SWK. Remote wall panel used with Symetrix and SymNet products. Produktlink	NY	2	5.230	1.000
Adaptive Remote Control	SYM1240	Symetrix ARC-XLR - a modular remote control for Symetrix DSPs. Produktlink	NY	1	6.160	1.000
ADAM HALL						
Pop Filter	ADAD914	D914 - LD Popscreen. Produktlink	NY	2	360	50
Högtalarkabel	ADAKL10NL425	KL10NL4-2.5 Högtalarkabel. Speaker cable 2 x 2,5 mm² with Neutrik Speakon/Speakon. 10 meter.	NY	7	500	100
Högtalarkabel	ADAKL15NL425	KL15NL4-2.5 Högtalarkabel. Produktlink	NY	3	500	100
Högtalarkabel	ADAKL25NL425	KL2.5NL4-2.5 Högtalarkabel.	NY	10	500	100
Högtalarkabel	ADAKL25NL4425	KL2.5NL4-425 Högtalarkabel.	NY	3	500	100
Högtalarkabel	ADAKL5NL425	KL5NL4-2.5 Högtalarkabel.	NY	10	500	100
Högtalarkabel	ADAKL5NL4425	KL5NL4-425 Högtalarkabel.	NY	3	500	100
Multikabel	ADAKMC03XFM-8	KMC03XFM-8. 8 channel Stereo Loom 8 x XLR male / 8 x XLR female 3 meter.	NY	1	200	100
Multikabel	ADAKMC03XFPPM3-8	KMC03XFPPM3-8.	NY	3	200	100
Multikabel	ADAKMC05XFPPM3-8	KMC05XFPPM3-8.	NY	4	200	100
Speaker Stand	ADASPS56B	SPS56B - Speaker Stand Aluminium black. Produktlink	NY	1	420	200
Multicore Cable	ADAKSC08	KSC08 - Multicore Studio Balanced, insulated in pairs + overall shielding. 8 pair. PVC insulation in pairs, common in studiocores. All pairs are wear-resistant number coded as well as colour coding in multiples of eight. Each pair has a pre-twisted drain wire and additional AL/PT foil shielding for protection against corrosion and oxidisation. Conductors and drain wire are tin plated. Produktlink	NY	20	116	40

Det ges 1 års garanti på produkter skick "NY", 3 månaders garanti på "DEMO", medan produkter märkt "BEGAGNAD" säljs utan garanti. Ingen bytesrätt på köpta produkter. Alla priser är angivna i SEK exklusive moms och gäller till 31.12.2011. Eventuella fraktkostnader kan tillkomma. Med reservation för tryckfel.